

**BBL FLOOR**  
— Bring Best Life —



JIANGSU BEIER DECORATION MATERIALS CO., LTD.  
Address: No.999 Chaoyang Rd, Henglin Town, Changzhou City, JS 213101, CHINA  
Tel: 86-519-68861223  
Fax: 86-519-68863336  
E-mail: vip@bbfloor.com  
www.bblflooring



# VINYL FLOORING

**BBL FLOOR**  
— Bring Best Life —

100% WATERPROOF



VINYL  

---

FLOORING

**BRING  
BEST LIFE**  
WWW.BBLFLOORING.COM



/Company Profile	/05/
/BBL Vinyl Floors Advantage	/07/
/Technical Specification	/09/
/Products Display	
· Vinyl Locking	/11/
· Dry Back	/13/
· Enginnered Vinyl Plank	/15/
· Diamond SPC	/17/
· MSPC	/19/
· Emboss Registered	/21/
· Random Width Series	/33/
· Endless	/37/
· Negative Ion Tec.	/38/
· Litaback	/39/
· Super Protect	/41/
· Wood Texture	/43/
· Tile Texture	/71/
/Display Tools	/79/



## VISION

To be the most honorable company in the home building materials industry.

## MISSION

Create a healthy and beautiful life worldwide

## VALUE

Be faithful  
Be hardworking and thrifty  
Be modest and prudent  
Be innovative



Established in 1991, Jiangsu Beier Decoration Materials Co., Ltd (also known as BBL) is located in Changzhou, Jiangsu province, a professional manufacturer of Vinyl Flooring, Laminate Flooring as well as Engineered wood flooring. We have more than 25 years of experience in construction materials and have a good reputation in this field. Our products have been exported more than 128 countries worldwide.



We have implemented a strict and complete quality control system, which ensures that each product can best meet customers' quality requirements. Besides, all of our products have been strictly inspected before shipment. We have attained ISO9001:2008 certification for our management system and we are now using Lean Manufacturing System to improve our efficiency of internal management.



In 2010, BBL set up "Product Research and Developing Department". Jointly with Nanjing Forestry University, BBL has established "BBL Floor Engineering Technology Research and Developing Center". Every 3 days, one new color will be created by this center. This center will develop any new flooring color based on different market's flooring style requirement.



We will insist on our business concept, which is "Following the market need, based on professional marketing, guaranteed by the creditable service" to build BBL as a professional brand and providing satisfactory products and service to clients all over the world. BBL will commit to make "BBL" brand as a world wide known brand both in the international and domestic market for various building materials.







BBL288-2



### Exclusive Designs

- Patent protected. All the designs are inspired from customers' requirements.



We use best plasticizer DOTP and 100% virgin material



### Environmentally

-No VOC, No Toxin, EO, We use one of the best plasticizer DOTP. We have passed certification of Floorscore, Green Guard Gold and Eurofin's Indoor Air Quality Comfort.



### Prevent Termite

-This material is effective to anti termite



### Bio

-Based plasticizer is made from 100% organic raw materials.



### Water Proof

- When exposed to water, planks will not swell, buckle or lose integrity.



### Anti-microbial

-Good in hospitals and schools as well as in kid's nursery rooms.



### Locking system

-With 20 years of experiences in profiling. We have the easiest locking system to ensure the strongest pulling strength.

**BBL**  
VINYL FLOORS ADVANTAGE





## PRO'S AND CON'S OF BBL PRODUCT COMPARE WITH OTHER FLOORS

BBL PRODUCTS								OTHER PRODUCTS		
Features\ Product	Composite Vinyl Floor	Vinyl Locking	Loose lay	Vinyl Plank-dry back	Diamond Vinyl SPC Flooring	Woven LVT	MSPC	Ceramic	Locking LVT with HDF core	Engineered Floor
Materials Cost	Gold	50%Gold & 50%Silver	Gold	Bronze	Gold	Silver	Gold	Silver	50%Gold & 50%Silver	Diamond
Cost for installation	Bronze	Silver	Bronze	Gold	Silver	Gold	Silver	Gold	Silver	Gold
Waterproof	Excellent	Excellent	Excellent	Good	Good	Good	Good	Excellent	Not Good	Not Good
Easy to install	Excellent	Good	Excellent	Not Good	Excellent	Not Good	Excellent	Not Good	Good	Not Good
Easy for replacement	Not Good	Good	Excellent	Not Good	Excellent	Good	Excellent	Not Good	Not Good	Not Good
Quiet performance	Excellent with Cork underlayment	Good	Excellent	Good	Good	Good	Good	Not Good	Not Good	Not Good
Environmentally friendly	Excellent	Excellent	Excellent	Excellent	Good	Excellent	Good	Excellent	Not Good	Not Good
Reuse	Good	Not Good	Excellent	Not Good	Not Good	Not Good	Not Good	Not Good	Good	Good
Recycleble after use	Not Good	Good	Good	Good	Excellent	Good	Good	Not Good	Not Good	Not Good


CHARACTERISTICS	STANDARDS			
	EN	Result	ASTM	Result
Size	EN 427	Pass	ASTM F536	Pass
Overall Thickness	EN428	Pass	ASTM F386	Pass
Wear Layer Thickness	EN429	Pass	ASTM F410	Pass
Dimension Squareness and Straightness	EN427	Pass Squareness:0.18mm Straightness:0.07mm		
Chemical Resistance	EN423	Pass	ASTM F925, ASTM F1344	Pass
Colour Fastness to Artificial Light	EN20105:B02 Method A	Pass, ≥ Grade 6	ASTM F1515	Pass
Heat Stability by Color Change			ASTM F1514	Pass
Castor Chair Suitability	EN425	Pass		
Residual Indentation	EN433	Pass,0.06mm	ASTM F1914, ASTM F970	Pass
Abrasion Group	EN660-1/2	Group T	ASTM F510, ASTM D3384	Pass
Impact Resistance			ASTM F1265, ASTM D2632	Pass
Dimensional Stability	EN434	Pass	ASTM F2199	Pass, 0.1%
Sound Reduction	ENISO717-2(ΔLw)	2 dB		
Flexibility	EN435 Method A	Pass	ASTM F137	Pass
Slip Resistance	EN13893	Class DS	ASTM D2047-93	Pass
Electrical Resistance	EN1081 Method C	Pass	ASTM F150-06	Pass
Thermal Resistance	EN12664	Pass		
Toxic Element Test	EN71-3	Pass. Not toxic. Does not contain heavy metal and formaldehyde		
Behaviour to Fire	ENISO11925-2 EN13501-1 EN ISO 9239-1	Bf1-S1	ASTM E648-06	Pass/Class1
Smoke Density			ASTM E662	Pass,<450

**BBL**  
TECHNICAL DATA



# VINYL LOCKING

BBL Vinyl Locking series combines beautiful and realistic wood and tile patterns with easy locking system. Durable and water-proof, this is a high-end resilient flooring. We provide a vast array of options of colors for your choices. It's suitable to be used at kitchen and bathroom.



Size	936 x 150mm, 1220 x 150mm, 1220 x 180mm 1220 x 228mm, 1500 x 228mm
Thickness	3.2mm, 4.2mm, 5.0mm
Wearlayer	0.1-1.0mm

- UV-coating
- Easy & Strengthened locking system



BBL930L-8





# DRY BACK

BBL Vinyl Plank is a very classic series in vinyl floor family, comes in different specifications and large selections ! Looks and feels like real wood, feel the knots! Warm comfort and quiet under foot. Water-proof. Perfect in high moisture areas, basements, kitchens, and bathrooms.



Size	942 x 157mm, 1227 x 157mm, 1227 x 187mm 1227 x 235mm, 1508 x 233mm
Thickness	2mm, 2.5mm, 3mm
Wearlayer	0.1-1.0mm

- UV-coating
- Glue Down



ANY ROOM AT,  
BELOW OR ABOVE GROUND LEVEL



BATHROOM FRIENDLY



PROTECTION



100% WATERPROOF



WARM TO THE TOUCH



ANTI SLIP



EASY CLEAN

BBL928L-6






# ENGINEERED VINYL PLANK

Composite Vinyl Floors combines the resilience of LVT and stability of composite vinyl core, with very easy click system, inherit the waterproof feature from LVT and WPC, as stable as laminate floor. Cork attachment is available to attain a fantastic quiet effect.

This is a very high end product, more environmentally friendly than laminate floor, as resilient as LVT, waterproof, easy for installation. It's suitable to be used for commercial and residential areas.



Size	1217 x 146mm, 1217 x 178mm, 1500 x 225mm 932 x 146mm, 1803 x 225mm, 596 x 296mm
Thickness	5.5mm, 6mm, 6.5mm, 7.5mm
Wearlayer	0.3-1.0mm

- UV-coating
- EVA & IXPE & Cork attachment available
- Easy & strengthened locking system

## ADVANTAGES

- Water proof, will not swell when exposed to water.
- Easy-to-install with glueless click system.
- Minimal floor prep.
- No need to acclimate the floor.
- Perfect foot-sense (for product with attachment).

BBL908-10





CANADIAN PATENT : 2, 939, 954

## WHAT IS BBL DIAMOND FLOORING?

BBL Diamond SPC flooring is an upgrade and improvement of LVT and WPC that is manufactured with a rigid stone plastic composite (SPC) core. It is high density core allows it to have greater indentation resistance and dimensional stability than other luxury vinyl.

BBL Diamond flooring is also enhanced with protective polyurethane allowing it to resist scratches and dents. And the product is formaldehyde free, making for a completely safe flooring solution for both residential and public environments.

# DIAMOND SPC

- UV Coating
- Wear Layer
  - Excessive wear protection
- Decor film
  - Wide color selection
- SPC core
  - Waterproof core made of highly durable SPC
  - Density of 2000KGS/M3
  - Strong locking system
- Foam Underlayment (optional)
  - Advanced sound reduction
  - Added comfort

NEW & IMPROVED

Size	936 x 150mm, 1220 x 150mm, 1220 x 180mm, 1220 x 228mm, 1500 x 228mm, 1800 x 228mm
Thickness	3.2mm, 4.2mm, 5.0mm, 6mm, 7mm, 8mm
Wearlayer	0.1-1.0mm

• UV-coating • EVA & IXPE & Cork attachment available • Easy & strengthened locking system



ANY ROOM AT, BELOW OR ABOVE GROUND LEVEL



BATHROOM FRIENDLY



CLICK SYSTEM



PROTECTION



100% WATERPROOF



WARM TO THE TOUCH



ANTI SLIP



EASY CLEAN





# MSPC

## Melamine Paper on Top of SPC

### Super Anti-Scratch SPC


Aluminium Oxide Layer

Decorative Paper

Diamond SPC Core

Balance Paper

IXPE Pad (Optional)



Size	1220 x 180mm, 600 x 300mm
Thickness	4.2mm, 5.0mm
Overlayer	AC1-AC5

• EVA & IXPE & Cork attachment available • Easy & strengthened locking system

## ADVANTAGES

- Super Anti-Scratch & Wear-resistance
- Water-Proof
- Low VOC- Environmental Friendly
- Anti-Slip for Commercial Area
- Fire-resistance
- Durability & High Stability
- Floating installation system & Minimal Maintenance
- Anti-Bacteria & Anti-insect





## EMBOSS REGISTERED

Natural touch-Registered in Emboss series is amazing, All decors are developed from real engineered floor, with natural pattern and color tunes.Made by Taiwan technology. Pursuing perfect details in every wood grain.Creating better foot sense and more natural lookings.

BBL9305-1





BBL96092-1



BBL96092-14



BBL96092-19



BBL96092-46B



BBL96196-3



BBL96196-5



BBL96196-7



BBL96087-2



BBL96087-16



BBL9189-3



BBL9189-9



BBL954-4



BBL954-5

LENGTH	CODE				
	BBL96092	BBL96196	BBL96087	BBL9189	BBL954
1000mm					
1300mm	*	*	*	*	*
1500mm					
1800mm					

Remark: Cylinder Length





BBL98379-1



BBL98379-8



BBL98379-14



BBL98379-15



BBL98371-5



BBL98371-7



BBL975-1



BBL975-2



BBL976-4



BBL976-3



BBL976-5



BBL982045-1



BBL982045-7

LENGTH	CODE				
	BBL98379	BBL98371	BBL976	BBL975	BBL982045
1000mm					
1300mm	*	*	*	*	*
1500mm					
1800mm					

Remark: Cylinder Length





BBL99531-1

BBL99531-10



BBL9305-1

BBL9305-4

BBL9305-6



BBL9W653C-2

BBL9W653C-5



BBL9346-6

BBL9346-7



BBL9266-1

BBL9266-3



BBL380-1

BBL380-6



BBL380-9

BBL911-1



BBL911-3

LENGTH	CODE						
	BBL99531	BBL9305	BBL9W653C	BBL9346	BBL9266	BBL380	BBL911
1000mm							
1300mm	*	*	*	*	*		*
1500mm						*	
1800mm							

Remark: Cylinder Length





BBL912-2

BBL912-3



BBL912-4



BBL902-1

BBL902-7



BBL9333-1



BBL9B190L-03

BBL930L-1




BBL948L-1

BBL948L-3



BBL906L-1

BBL906L-6



BBL923XL-1

BBL923XL-9

LENGTH	CODE							
	BBL912	BBL902	BBL9333	BBL9B190L	BBL906L	BBL930L	BBL948L	BBL923XL
1000mm								
1300mm	*	*	*					
1500mm				*	*	*	*	
1800mm								*

Remark: Cylinder Length





BBL988027-1

BBL988027-2

BBL988027-3



BBL988056-1

BBL988056-2

BBL988056-7



BBL988068-1

BBL988068-2



BBL988068-5



BBL988074-1

BBL988074-2



BBL988074-7



BBL93632-2

BBL93632-3

BBL93632-19



BBL96092-C1

BBL96092-D

BBL96009-13

LENGTH	CODE						
	BBL988027	BBL988056	BBL988068	BBL988074	BBL93632	BBL96092	BBL96009
1000mm						★	★
1300mm							
1500mm	★	★	★	★			
1800mm					★		

Remark: Cylinder Length





## RANDOM WIDTH SERIES

With random width treatment, plus painted bevel treatment, makes your designed floor more realistic and special.

Any design can be made in random width!

---

SPC Size: 1220 x 120/150/180mm  
1220 x 123/175/227mm  
1500 x 123/175/227mm

Thickness: 4.2-8.0mm

WPC Size: 1217 x 124/174.5/225mm  
1500 x 124/174.5/225mm

Thickness: 5.5-8.5mm

Wearlayer: 0.2-1.0mm

UV-coating, painted bevel

Easy & strengthened locking system



# RANDOM WIDTH SERIES



BBL99531-10



Painted Bevel



# ENDLESS

Endless series is amazing, It's beautifully refined graining and natural under glow offers a rustic sophistication that can compliment a wide range of looks in any home including Modern, Traditional and Rustic, what's more, it will be a 10 planks repeat collection, which bring more real feeling.



BBL-ED001



# NEGATIVE ION TEC.

As you know, Home furniture and building materials at everyone's home release continually some extent of formaldehyde and other volatile organic compounds, including Most of the odors, bacteria, smoke, etc. in the air, they are all positively charged and we call them positive ions, which are harmful to human health.

Under normal temperature and normal conditions, water and oxygen in the air cannot be negatively charged to negative ions. However, under the action of strong electromagnetic field, this kind of transformation occurs.

The reason why BBL's Negative Ion Tec. floor can produce negative ions is that during the production process, a layer of material with positive and negative electrodes is attached to the floor surface, which is called negative ion catalyst (common name is tourmaline). The water in the air enters the electromagnetic field formed by the positive and negative electrodes. , it will turn into negative ions, which can be neutralized by the positive ions until there is no charge, and make the air purified.

Negative Ions Release Layer  
UV Coating  
Wearlayer  
Decor Film  
LVT Core Sheet  
LVT Balance Sheet

Hill top  
-1980 per cm<sup>3</sup>

Waterfall  
-7070 per cm<sup>3</sup>

Negative Ion Tec. Floor  
-1000 per cm<sup>3</sup>


**EXAMINATION ON CONCENTRATION OF NEGATIVE IONS**



# WHAT IS LITEBACK?

# LITEBACK®

Liteback® is a core technology for thermoplastic flooring, i.e. LVT/SPC/WPC.




## How does it work?

By using a grooving unit, grooves are milled on the backside of the floorboard. The grooving unit can be integrated in the regular production process thereby eliminating the need for extra handling of the panels. The material that is removed in the process is recycled back into the production process, thereby reducing material consumption with up to 20%.



## Data brings you closer to Liteback®.

In 2017, sales of LVT/SPC/WPC lock floor in Europe exceeded 60 million square meters. Imagine how much benefit these floors would bring if they all used Liteback® core technology. Valinge did a calculation and estimated the impact: let the data speak.




### 117000 Tons

Increasing the utilization rate of raw materials and saving 117000 tons of raw materials



### 4800 Trucks

Savings in raw materials greatly reduce the amount of raw materials transported to production workshops.



### 3400 Containers

Lighter products reduce 3,400 shipping containers and 1,550 trailers from the supply chain per year.



### >80000 Tons


With the reduction of raw materials consumption and freight frequency, CO2 emissions will be reduced by more than 80,000 tons, equivalent to the annual CO2 emissions of 56,000 cars.





# SUPER PROTECT

Scratch Resistance & Scuff Resistance & Stain Resistance



SCAN QR CODE  
VIEW VIDEO

Luxury Vinyl Flooring • SPC Flooring • WPC Flooring



Our most durable performance system provides the ultimate in scratch, stain and scuff resistance on our super protect Flooring.

True-to-life looks that are built to ensure the quality of life.



**1** ANTI SCRATCH



**2** ANTI SCUFF



**3** ANTI STAIN





# WOOD TEXTURE

BBL948L-1





ANTIQUÉ WOOD TEXTURE



CRYSTAL TEXTURE



CARPENTER HANDSCRAPED TEXTURE



RANDOM EIR-201207



RANDOM EIR- B190







BBL324-1

BBL324-3



BBL324-2

BBL324-4



BBL903-2

BBL903-3



BBL904XL-1

BBL904XL-1



BBL905L-2




BBL905L-1



BBL905L-4



BBL907-1



BBL907-7



BBL908-2



BBL908-5

LENGTH	CODE					
	BBL324	BBL903	BBL904XL	BBL905L	BBL907	BBL908
1000mm						
1300mm	★	★			★	★
1500mm				★		
1800mm			★			

Remark: Cylinder Length





BBL909-1



BBL909-2

BBL909-3



BBL910-1

BBL910-8



BBL911-1

BBL911-12



BBL914-1

BBL914-4



BBL914-1

BBL914-8



BBL915L-4

BBL915L-1



BBL916L-1

BBL916L-4

BBL916L-7

LENGTH	CODE					
	BBL909	BBL9110	BBL911	BBL914	BBL915L	BBL916L
1000mm						
1300mm	★	★	★	★		
1500mm					★	★
1800mm						

Remark: Cylinder Length





BBL919L-1

BBL919L-2

BBL919L-5



BBL924-3

BBL924-1

BBL924-4



BBL921L-1

BBL921L-5

BBL921L-7



BBL925L-1

BBL925L-5



BBL923XL-1

BBL923XL-4

BBL923XL-9



BBL926L-1

BBL926L-7

LENGTH	CODE					
	BBL919L	BBL921L	BBL923XL	BBL924	BBL925L	BBL926L
1000mm						
1300mm				*		
1500mm	*	*			*	*
1800mm			*			

Remark: Cylinder Length





BBL927L-1

BBL927L-4

BBL927L-6



BBL928L-3



BBL928L-4



BBL928L-6



BBL929L-1



BBL929L-2



BBL929L-5



BBL930L-8



BBL930L-1



BBL930L-3



BBL931L-1



BBL931L-6



BBL932-2



BBL932-6

LENGTH	CODE					
	BBL927L	BBL928L	BBL929L	BBL930L	BBL931L	BBL932
1000mm						
1300mm						*
1500mm	*	*	*	*	*	
1800mm						

Remark: Cylinder Length






BBL933XL-1



BBL933XL-6



BBL933XL-3



BBL934L-1



BBL934L-11



BBL934L-4



BBL935-1




BBL935-2



BBL935-6



BBL936-8



BBL936-4



BBL936-7




BBL937L-1



BBL937L-5



BBL940L&941L-1



BBL940L&941-4





BBL940L&941-6

LENGTH	CODE					
	BBL933XL	BBL934L	BBL935	BBL936	BBL937L	BBL940L&941L
1000mm						
1300mm			*	*		
1500mm		*			*	*
1800mm	*					

Remark: Cylinder Length





LENGTH	CODE				
	BBL942L	BBL943L	BBL944L	BBL945	BBL946L
1000mm					
1300mm				*	
1500mm	*	*	*		*
1800mm					

Remark: Cylinder Length





BBL947L-1

BBL947L-3



BBL947L-7

BBL947L-9



BBL948L-1

BBL948L-2



BBL948L-4

BBL949-3


BBL949-1

BBL949-8



BBL952L-1

BBL952L-3



BBL952L-6

BBL952L-8



BBL953-1

BBL953-5

BBL953-8

LENGTH	CODE				
	BBL947L	BBL948L	BBL949	BBL952L	BBL953
1000mm					
1300mm			*		*
1500mm	*	*		*	
1800mm					

Remark: Cylinder Length





BBL954-1

BBL954-5



BBL954-6

BBL954-7

BBL954-8



BBL958L-1

BBL958L-4

BBL958L-6



BBL959L-1

BBL959L-7



BBL253-1

BBL253-2



BBL288-1

BBL288-2



BBL299-2

BBL299-3



BBL299-4

BBL299-5

LENGTH	CODE					
	BBL954	BBL958L	BBL959L	BBL253	BBL288	BBL299
1000mm						
1300mm	★			★	★	★
1500mm		★	★			
1800mm						

Remark: Cylinder Length





BBL287-1

BBL287-2



BBL287-3

BBL287-4



BBL9305-2

BBL9305-4



BBL9305-6




BBL9367-2



BBL9367-3

BBL9367-11



BBL9367-9

LENGTH	CODE		
	BBL287	BBL9305	BBL9367
1000mm			
1300mm	*	*	*
1500mm			
1800mm			

Remark: Cylinder Length





BBL966L-1

BBL966L-5



BBL966L-6

BBL966L-9



BBL967L-1

BBL967L-2



BBL967L-3

BBL967L-6



BBL968L-1

BBL968L-4



BBL968L-6



BBL969L-1

BBL969L-2

BBL969L-5

LENGTH	CODE			
	BBL966L	BBL967L	BBL968L	BBL969L
1000mm				
1300mm				
1500mm	★	★	★	★
1800mm				

Remark: Cylinder Length





BBL971L-1



BBL971L-3

BBL971L-6



BBL972L-1

BBL972L-3



BBL972L-4

BBL972L-8



BBL973L-1

BBL973L-4



BBL973L-6



BBL974L-1

BBL974L-7

BBL974L-10

LENGTH	CODE			
	BBL971L	BBL972L	BBL973L	BBL974L
1000mm				
1300mm				
1500mm	★	★	★	★
1800mm				

Remark: Cylinder Length





BBL976L-1



BBL976L-4



BBL976L-5

BBL976L-7



BBL977L-1

BBL977L-4



BBL977L-5

BBL977L-6

BBL977L-7

LENGTH	CODE	
	BBL976L	BBL977L
1000mm		
1300mm		
1500mm	★	★
1800mm		

Remark: Cylinder Length





TILE  
TEXTURE



# TEXTURE FOR SELECTION



BUMPY FINISH



CLASSIC SLATE



GRANITE STRUCTURE



WHITE MARBLE FINISHING





BBL918-1



BBL918-3



BBL18-6



BBL920-1




BBL920-4



BBL920-5



BBL920-7



BBL920-9



BBL922-1



BBL922-3



BBL922-6



BBL922-7



BBL938-2



BBL938-1



BBL938-4



BBL938-5

LENGTH	CODE			
	BBL918	BBL920	BBL922	BBL938
1000mm				
1300mm	*	*	*	*
1500mm				
1800mm				

Remark: Cylinder Length





BBL939-1



BBL939-4



BBL939-6



BBL950-1



BBL950-2



BBL950-3




BBL951-1



BBL951-2




BBL951-4



BBL951-6



BBL951-7



BBL970-1



BBL970-2



BBL970-3



LENGTH	CODE			
	BBL939	BBL950	BBL951	BBL970
1000mm				
1300mm	*	*	*	*
1500mm				
1800mm				

Remark: Cylinder Length



# DISPLAY TOOLS

## • INTELLIGENT DISPLAY MACHINE



What is intelligent display machine?

BBL intelligent display machine is a commercial model as well as a new marketing model. The extreme emphasis on customer experience breaks present ecological model. It can lead online customers to offline store, and vice versa. It is a high profit commercial model, new smart shopping advocate.



## • DISPLAY STAND

The better position for you to show the product.



## • HAND BOARD

A unique way for clients to understand the design.



## • STRAP SET

Find more choice here.



## • X DISPLAY RACK

Want something new? look here!

